# WOLF RANCH GARDENING CALENDAR January 2020 by Dr. Robert E. Moon

Sun	Mon	Tue	Wed	Thu	Fri	Sat
			1 Set irrigation controller to the off position unless there is a drought.	2 Begin to "harden" cabbage or broccoli plants in cold frames by less watering, exposure to cold, and low fertility.	each usage. Use oil on the wood handles. Maintain ten	4 and store in a dry place after metal and linseed oil on the nperatures in greenhouses to temperature which may be
5 Prepare planting beds for annuals and vegetable crops. Incorporate organic material such as peat moss, pine bark, compost, or composted cow manure materials to improve soils.	6 Plan flowering sequence for note of varieties of each cr perennial alyssum, iris, phlo Blackfoot daisies, skullca coreopsis, cosmos, salvia g are all good for this area.	op to be grown. Daffodils, x, day lilies, Shasta daises, o, rudebeckia, echinacea,	8 Gather leaves for mulching and composting from area lawns. Bulbs must be watered if there has been no rain.	9 Prepare sketches of your garden and flower beds. Determine crops and plants to be grown and spacing. Till soil during cold afternoons to control overwintering insects.	10 Spray fruit and pecan trees with Neem oil and Cueva. The temperature needs to be above freezing when spraying. This is good for overwintering insect and disease control.	11 Prune all roses except for climbing roses.
blackberries, and landscape existing soil line. It is a good one-third to balance top gro	12 13 14   Plant bare-root roses, pecans, grapes, fruit trees, blackberries, and landscape plants one inch above the existing soil line. It is a good idea to cut back all trees by one-third to balance top growth with the roots. Water plants directly after planting and use root stimulator. 14		15 Water trees, shrubs, and lawns during dry periods. Soak the soil to a depth of six inches every 7-10 days this time of year.	1617Spray Neem oil and Cueva to control overwintering insects and diseases on fruit, nut, and landscape trees when the temperatures will be above 40° F for 12 hours if you have not already done so.		18 Start seed of dianthus, petunias, marigolds, geraniums, alyssum, and flowering purslane in small pots indoors for early spring color.
19 Check narrow-leaf evergreen plants for bagworm pouches. The adult female bagworms lay the eggs in the pouch where they overwinter. Remove these pouches.	Check narrow-leaf evergreen plants for bagworm pouches. The adult female bagworms lay the eggs in the pouch where they overwinter.		22 Evergreen and deciduous shrubs and small trees set out this month will establish good roots before the growing season begins. Check the Wolf Ranch list of plants.	23 24   Begin seeding peppers and tomatoes in cold frames for early transplants. Also sow annual and perennial flower seeds in cold frames. Remove spent flowers on pansies to prolong the blooming season. Continue to fertilize at six week intervals and water regularly.		25 Collect hardwood cuttings to be used for budding and grafting pecan trees. Take dormant cuttings on your favorite crape myrtles and other shrubs this month.
granular fertilizer such as 10 square feet. Also add sulfur,	27 d 20 pounds of a complete -20-10 or 10-10-10 per 1,000 organic matter, and granular the soil. Composted cow or inorganic fertilizer.	28 Take a soil sample and send it to A&L Labs in Lubbock, Texas. Check their website for instructions and cost.	29 Don't forget to fertilize house plants with a liquid plant food once every six weeks during the winter. Be sure to get water drainage from the bottom of the container.	30 Make cuttings from geraniums, coleus, lantana, copper leaf or other soft wood plants for later transfer into the garden.	31	

## WOLF RANCH GARDENING CALENDAR February 2020

Sun	Mon	Tue	Wed	Thu	Fri	Sat
						1 Set irrigation controller to the off position unless a drought. Then set irrigation controller to run 1 time every 2 weeks.
2 Plant English peas, onions, Irish potatoes, and spinach in the vegetable garden. Now is also a good time to add landscape plants. Never till or plant in wet soil.	3 Prune fruit trees, grape vir trees, evergreens, and su Remember that fruit trees pro wood.	Immer flowering shrubs.	5 Scatter seeds of candy tuft, cornflower, larkspur, and poppy on prepared flower beds. Make first planting of gladiolus bulbs.	6 Apply pre-emergent weed cover, and shrub beds for v Read and follow label ins emergent weed control can third week in March, but apply to Feb. 15, the better y	varm season weed control. structions carefully. Pre- be applied as late as the remember, the closer you	8 Mulch around all plants and tree root balls with a dyed brown, double ground mulch.
9 This is still a good time for grapes, fruit trees, blackbern Plants will thrive if you prepa plant so the top of the root than the existing soil line. So addition of organic matter m back fill around the roots.	ries, and landscape plants. Ire a wide planting hole and ball is 1 to 2 inches higher bils at Wolf Ranch will need	11 Water trees, shrubs, vegetables, annual flowers, and lawns during dry periods. Seed Butterfly/Hummingbird wildflowers in your garden.	12 Buy something for your special someone! Flowering plants are especially nice.	13 Feed pansies and other winter annuals with a complete fertilizer or an organic fertilizer.	14 Plant asparagus, beets, l cabbage, carrots, Swiss ch lettuce, onion plants, parsle	ard, collard (kale), kohlrabi,
16 Replant lettuce and radishes weekly until the third week in April.	17 Remove old seed clusters from crape myrtle plants. Also remove suckers off of the trunks. Do not commit crape murder by cutting back all branches!	18 Prepare the lawn mower for its spring and summer workout. Disconnect spark plug before working on mower.	19 Fertilize all trees, shrubs, ground covers, and vines if you did not do so in January.	20 Aphids begin to show up on all vegetable plants. Control if found with Neem Oil.	21 Seed coleus, marigolds, pe and portulaca in seed flats damping off disease with Ne	s. Treat seeds to prevent
23 Divide and replant daisies.	24 If you use a broadleaf weed killer on your turf, be careful, because this can be very damaging to trees and shrubs if not applied as per instructions.	25 Don't forget to apply Neem Oil to fruit and pecan trees. Do not apply Neem oil if day temperature is or below freezing.	26 Cultivate around shrubs, trees, annual flowers, and vegetables as needed. Add granular gypsum, sulfur and Ironite around these plants to improve vigor.	27 Select perennial and ornamental grasses from the Wolf Ranch Approved List	28	29

#### WOLF RANCH GARDENING CALENDAR March 2020 by Dr. Robert E. Moon

Sun	Mon	Tue	Wed	Thu	Fri	Sat
1	2	3	4	5	6	7
Set irrigation controller to the off position unless a drought. Then set irrigation controller to run 1 time every 7 to 10 days.	Begin to "harden" tomatoes, peppers, and other vegetables in cold frames by less watering and exposure to cold. Be careful not to let plants freeze. Monitor watering closely to decrease damping off.	Allow foliage to remain on spring flowering bulbs until it dies naturally or you will have few or no flowers next spring.	Spray live oaks for forest begin spring flush. This s formation and aphid leaf cur	pray also will reduce gall	Spray peach and plum tre control when 75% of the blo continued schedule every applications are made. Cueva.	ossoms are open and on a / 10-14 days until five
8	9	10	11	12	13	14
Prune back overgrown grou ivy, jasmine, colorata euon and vinca to encourage new mower set on its highest set and rock free. Renovate, f in strawberries.	ymus, liriope, ophiopogon, w, compact growth. A lawn tting works if beds are level	Prune hybrid tea and floribunda roses if you have not yet done so. Do not prune climbing roses	Seed eggplants for transplants in April. Seed Firecracker 234 wildflower blend.	Aerate, de-thatch or Verticut your lawn this month. This is absolutely necessary for turf where thatch has accumulated to where water and nutrients cannot penetrate.	Fertilize your lawn. Follow label instructions for application rates. This first application should be made before April 15. Water the lawn after fertilization.	Set out alyssum, daisies, dianthus, lobelia, phlox, verbena, carefree geraniums, asters, petunias, impatiens, and chrysanthemum plants.
15	16	17	18	19	20	21
Spray pear trees for the con Oil and Cueva. Apply the intervals beginning when open.	ee applications at five-day	Spray broadleaf evergreens for scale insect infestation control with Neem oil.	occasionally from the cold, but a week or two head start		Plant snap beans, lima beans, lettuce, cucumbers, squash, sweet corn, mustard, and tomatoes (seeds and transplants). Thin flower and vegetable plants as needed.	
	AVERAGE LAST FROST					
22	23	24	25	26	27	28
Remove winter damaged tips from all plants.	Repot overgrown houseplants. Use a loose potting soil and a container which has a hole in the bottom for drainage.	Set out ageratum, balsam, celosia, coleus, dahlias, impatients, marigolds, portulaca, salvia, and zinnia plants. Mulches such as compost or dyed-brown, double ground mulch can be spread around the plants to prevent weed seed germination and maximize water utilization.			Control insects, weeds, and disease in the garden as needed.	Enjoy your garden. Summer is on the way.
29	30	31				
For full sun bed areas, plant a cut flower seed mix from Wildseed Farms and enjoy beautiful cut flowers all summer.	A hummingbird flower mix can be purchased from Wildseed farms to encourage hummingbirds and butterflies throughout the summer. Plant in full sun area.					

### WOLF RANCH GARDENING CALENDAR April 2020 by Dr. Robert E. Moon

Sun	Mon	Tue	Wed	Thu	Fri	Sat
			1	2	3	4
			Set irrigation controller to the off position unless a drought. Then set irrigation controller to run 1 time every 7 to 10 days.	Seed Autumn Beauty sunflower mix, zinnias, cosmos, coreopsis, mallow, coneflower, verbena, Mexican hat, Laura Bush petunias, black eyed Susan, and gaillardia.	Turn your compost pile and add additional organic matter and a small amount of nitrogen fertilizer to enhance decomposition.	Treat all turf and beds for fire ant control. Remove thatch from your lawn and treat broadleaf weeds in the turf. Now is a good time to aerate your turf.
5	6	7	8	9	10	11
Check established lawns fo Spray fruit trees again to pr Select plants and ornamen Ranch plant list. Treat your a good control for insects and	event insects and disease. tal grasses from the Wolf active fire ants. Neem Oil is	Plant snap beans, lima cucumbers, squash, sweet of tomatoes (transplants), pu Check leaf crops for aphid Spray as needed with Neem	corn, cantaloupes, mustard, mpkins, and watermelons. s and loopers and control.	Start planting raised strawberry beds. Chandler, Douglas, and Sequoia are excellent varieties.	Sow seeds of tender annua celosia, candle trees, cocks morning glories, periwinkle, plants, ageratum, and ornam annual plants that you have n	scomb, cosmos, marigolds, and zinnias. Bed copper iental amaranthus and other
12	13	14	15	16	17	18
	Spray fruit trees again for insect and disease control. Now is also a good time to spray pecans for gall control. Spray with Neem Oil and Cueva.	Thin newly established ver Control cut worms and tr control with Neem Oil. Se flower mix in your garden.	eat tomatoes for disease	Watch for powdery mildew on roses, vegetables, and ornamental plants and control. Black spot and thrips on roses need to be controlled with Neem Oil.	Plant Bermuda grass seed and sod or sprigs of St. Augustine or hybrid Bermuda sod. Prepare seed bed before planting. Use 1-2 pounds of seed per 1,000 sq. ft. Select good quality turf.	Spray apples and pears to control insects and diseases every 14 days. Spray with Neem Oil.
19	20	21	22	23	24 ARBOR DAY	25
Treat pecan rosette, pecan scab and foliage feeding insects with Neem Oil.	Make second plantings of sweet corn and green beans. Transplant eggplants.	Water strawberries after each harvest, but do not overwater.	Plant a tree. Also, plant okra, southern peas, hot peppers (plants), sweet peppers (plants), sweet potatoes, and pumpkins. Mulch and cage tomatoes to prevent rot.	Many house plants can be moved outdoors for their summer vacation. Continue spraying roses with Neem Oil every 10 days for insect and disease control.	Spray grapevines at 14 day intervals with Neem Oil to control insects and diseases.	Check squash plants for vine borers and control. Begin harvesting cool season vegetables. Do not fertilize new bedding plants until they show some growth.
26	27	28	29	30		
Amaryllis, cannas, dahlias, elephant ears, tuberose, gladiolus, and caladiums can now be planted.	Thin peaches to 4-6 inches apart for highest fruit quality. Spray fruit trees again with Neem Oil for insect and disease control.	container-grown plants. D before planting. Use a star growth. Get rid of weeds.	ny balled and burlapped or bon't let the plants dry out ter solution to stimulate root They rob nourishment from f root balls with dyed-brown, post.	Fertilize your lawns again if you have not in the last 6 weeks.		

## WOLF RANCH GARDENING CALENDAR May 2020 by Dr. Robert E. Moon

Sun	Mon	Tue	Wed	Thu	Fri	Sat
					1 Set irrigation controller to the off position unless a drought. Then set irrigation controller to run 1 time every 7 to 10 days.	2 Plant ornamental grasses from Approved Wolf Ranch List for a great summer and fall display.
3 Continue to spray peach insect and disease contro treatments have occurred. listed in this calendar. Als Apply Neem Oil and Cueva f	of every 14 days until 5 This is the fourth application to continue to spray roses.	5 Control powdery mildew on vegetables and ornamental plants as needed with Neem Oil. Watch vegetables for spider mites and, if present, control with Neem Oil.	6 Control crabgrass and dal lawns. Follow label instruct nutsedge in the lawn. U control again to prevent lai regular mowing, watering, help avoid a weed issue.	tions closely. Also control Jse a pre-emergent weed te weed germination. Use	8 Prune your spring flowering shrubs after blooming, climbing roses, forsythia, quince, and Indian hawthorne. Shape azaleas and camellias.	9 Watch for bagworms on conifers; thrips, aphids, spider mites, and white flies on everything. Treat with Neem Oil when present.
10 Blackberry production is declining. Remove at ground level the old canes which had fruit this season and "tip back" new canes to encourage branching.	11 Locate a source of biological predators to be used in the garden such as ladybugs and predator mites.	12 Dig anemone bulbs and store in a cool, airy place for replanting in December.	13 Check squash plants for presence of vine borers and control if needed. Also check for squash bugs and control if needed with Neem Oil.	14 Treat all newly planted trees for insects with a systemic insect control such as Merit or with Neem Oil.	15 Apply pre-emergent weed control to turf, shrubs, and ground cover beds for warm season weed control. Read and follow label instructions carefully.	16 Balled and burlapped and container-grown plants can still be planted. Monitor watering closely.
17 Spray roses every 7-10 days with recommended fungicide for black spot. Control when present with Neem Oil and Cueva.	18 Check vegetables, annual flowers, and ornamentals for spider mites. Control with Neem Oil.	19 Spray fruit trees again for insect and disease control. Control with Neem Oil and Cueva.	20 21 Be ready to spray pecan nut casebearer and scab with Neem Oil and Cueva when emergence is announced in your paper. This varies from one year to the next year but usually falls on these dates. Spray once initially then again 7 days later.		22 Watch broadleaf evergreen for scale infestation and com	
24 / 31 Replenish mulch around vegetables, trees, and shrubs to hold moisture around the plants. Use a dyed-brown, double ground hardwood mulch or compost.	25 Spot treat fire ants. Monitor crape myrtle for scale, aphids and powdery mildew. Treat with Neem Oil.	grass is 1 inch, and Buffald there is no more than 1/3 of	27 on Bermuda grass is 1 ½ to 2 grass is 2 ½ -4 inches. Mor the growth to cut off. Treat sh ent summer weeds such as cra	wing should be done when wub and ground cover beds	29 Good drought resistant plants for annual color beds are potato vine, angelonia, purple fountain grass, periwinkle, scaevola, and rose moss.	30 Hanging baskets and house-plants need wind protection; also water and fertilize as needed.

## WOLF RANCH GARDENING CALENDAR June 2020 by Dr. Robert E. Moon

Sun	Mon	Tue	Wed	Thu	Fri	Sat
	1	2	3	4	5	6
	Set irrigation controller to run 1 or 2 times per week. If it is raining, turn controller to off position.	Repair damaged trees when needed rather than waiting for the dormant season.	Water when needed to prevent plant stress. Soak the soil to a depth of 4-6 inches. It is better to water in the early morning hours.	Fertilize annual flowers and vegetables with a balanced fertilizer to assure continued vigor.	Begin to harvest onions, new Irish potatoes, snap beans, cucumbers, squash, radishes, lettuce, blackberries, and peaches.	Check plants for mildew on leaves and treat as needed with Neem Oil or Cueva.
7	8	9	10	11	12	13
Fertilize and pinch back chrysanthemums to encourage branching. Remove gladiola bulbs after the leaves turn brown and store in a dry place.	Turn your compost pile and moisten. Continue to add organic matter and nitrogen fertilizer to enhance decomposition.	Pick and destroy bagworms from trees and junipers. Or you can treat with Neem Oil for control	Fertilize your lawn. Apply a at one half the recommend brown spot and chinch bug c	rate. Apply Neem Oil for	Spray Neem Oil on tree damage. Learn to recogniz trees caused by sapsucker w	trunks to prevent borer e patterned-hole damage in woodpeckers.
14	15	16	17	18	19	20
Spot treat grasses in unwanted areas with Glyphosate.	Do not remove the foliage of spring flowering bulbs until the foliage dies.	As soon as perennials have spent flowers to encourage flowers from roses an chrysanthemums and pinch plants and more blooms.	new blooms. Prune spent nd fertilize. Fertilize	Harvest vegetables as they are ready.	Remember the first season for newly planted shrubs, perennials, and trees is critical, so keep them watered.	Plant spider lily bulbs. Buy large-size bulbs for first year blooms.
21	22	23	24	25	26	27
Continue to plant new lawn grasses. The warm Season grasses prefer warm days for growth. Apply chlorosis with Ironite.			program on roses for black control with Neem Oil and	Fertilize your lawns again if you have not in the last 6 weeks.	When controlling insects and mites, don't forget to check out biological predators like ladybugs and predator mites.	
28	29	30				
Control webworms on trees. Watch for spider mites on tomatoes and control as needed with Neem Oil.	Treat active fire ant mounds.					

### WOLF RANCH GARDENING CALENDAR July 2020 by Dr. Robert E. Moon

Sun	Mon	Tue	Wed	Thu	Fri	Sat
			1	2	3	4
			Set irrigation controller to run 2 times per week. If it is raining, turn controller to off position.	Turn compost and moisten. Add grass clippings after mowing.	Plant and reset iris. Harvest vegetables as needed.	Check plants for spider mites and thrips and control if needed with Neem Oil.
5	6	7	8	9	10	11
For the third and last time bearer and scab with Neem (		Control insects with ladybugs and predator mites. Perennials will bloom again if the spent bloom stalks are removed.	Water lawns, vegetables, a when needed, giving a tho frequent, light sprinklings. which are robbing your pla Keep plants mulched with o double ground hardwood mu	rough soaking rather then Keep those weeds pulled ants of needed moisture. compose or a dyed-brown,	Gladiolas are planted this month for the last time this year. Fertilize and water as needed.	Treat ornamental tree trunks for borer control with Neem Oil or apply a systemic insect control such as Merit to the soil.
12	13	14	15	16	17	18
Do not neglect newly planted landscape materials. Dry conditions can be deadly to poorly develop root systems. Supply extra water by hand watering, if needed.	Check condition of mulch materials. Replace or add where needed to conserve water and prevent weeds.	Check turf, perennial gras worms, and treat when prese		Monitor all plants for scale and aphids. Treat as needed with Neem Oil.	Soak hanging baskets in a tub of water every few days in addition to regular daily watering. This is also a good time to fertilize baskets with Miracle Gro.	Fertilize all your shrubs, perennials and ground cover.
19	20	21	22	23	24	25
Damaged wood or limbs should be removed from trees and shrubs right now. Do not wait until winter.	Protect plants moved outdoors from the hot, dry weather. Check watering daily. Do not place plants in full sun if they have been growing in the shade.	Keep an eye out for army worms and grubworms in your lawn. Check Bermudagrass for mite damage. Control with Neem Oil, if needed.	Plant hot weather annual seed such as zinnias, marigolds, Cora vinca, portulaca, angelonia, potato vine, purple fountain grass and scaevola.	Grubworm controls can be applied from the last week in July to the 2nd week in September. Treatment is necessary when you find 4 grub worms per sq. ft. Treat with Neem Oil.	Powdery mildew and aphids are usually prevalent at this season. Check plants closely before buildup occurs. Treat with Neem Oil.	Be on the lookout for sod webworms in lawns. This devastating pest has to be controlled when it first appears. Treat with Neem Oil.
26	27	28	29	30	31	
Treat crape myrtles for aphids and scale insects. Plants will be wet if these insects are present. Treat with Neem Oil.	Other insects to watch for include lace bugs, scale, spider mites, and thrips on almost everything else. Treat with Neem Oil.	Never apply fertilizer to a dry plant. Water one day and feed the next day, then water well. This does not hold true for grass.	Fertilize perennials to encourage vigor next year.			

### WOLF RANCH GARDENING CALENDAR August 2020 by Dr. Robert E. Moon

Sun	Mon	Tue	Wed	Thu	Fri	Sat
						1
						Set irrigation controller to run 1 to 2 times per week.
						If it is raining, turn controller to off position.
2	3	4	5	6	7	8
Remove spent flowers from crape myrtles so new ones Watch for powdery milde		Watch for powdery mildew on plants and control as needed with Neem Oil.			Sow seeds of cornflowers, flowering purslane, petunia, larkspur, snapdragon, baby's breath, bells of Ireland, candy tuft, clarkia, cleome, cockscomb, cosmos, gaillardia, and stocks.	
9	10	11	12	13	14	15
Check perennials regularly for foliage diseases and insects. Control with Neem Oil and Cueva as needed.	Treat plants for mites, lace bugs, and thrips when present with Neem Oil.	Control pecan aphids, shuck worms, webworms, and foliage diseases with Neem Oil and Cueva.		l pole beans, broccoli, Brussels okra, parsley, English peas, sc		
16	17	18	19	20	21	22
If you have not treated for g see if it is needed and cont present. Make another appl water thoroughly.	rol with Neem Oil drench if	Add compost or dyed- brown, double ground hardwood mulch to beds to conserve water.	This is a good time to build a compost bin. Keep compost wet but not soggy.	Be sure to water to prevent young vegetable plants from wilting and dying.	Control weeds in gardens and flower beds.	Stop pinching chrysanthemums and poinsettias after this date.
23	24	25	26	27	29	29
Shade newly emerged vegetable plants from the hot afternoon sun.	Prepare strawberry planting beds for planting.	Start seed of pansies and violas for fall planting	Sow bluebonnet seeds and other wildflower seeds for next spring/summer flowering. Purchase seeds from Wildseed Farms.	Monitor watering closely on all plants.	Plant snap bush beans, broccoli, Brussels sprouts, mustard, onion seed, parsley	cabbage, collards, lettuce,
30	31					
Make cuttings on plumbage flowering purslane, potato vi for winter pots and next year	ne, and other foliage plants					

### WOLF RANCH GARDENING CALENDAR September 2020 bv Dr. Robert E. Moon

Sun	Mon	Tue	Wed	Thu	Fri	Sat
		1 Set irrigation controller to run 1 time per week. If it is raining, turn controller to off position.	2 Plant or reset iris, daylilies, daises, cannas, and ground cover plants.	to assure establishment before	freeze during the winter	5
6 Plant snap beans, lima bu collards, onion seeds, pars turnips. Also seed poppies in	ley, radishes, spinach, and	8 Sow seeds in your flower beds of alyssum, calendula, dianthus, pansies, violas, and poppies.	shaded areas where grass months from lack of sunligh	10 fescue grass seeds in heavy has died during the summer it and on the heavily shaded house. This could be the ght areas.	11 Do not prune or cut back spring flowering trees and shrubs as you will be removing potential spring flowers.	12 Disbud chrysanthemums if larger blooms are desired. Disbudding does not mean take off all the buds.
13 Apply a pre-emergent weed cover, and shrub beds for core emergent weed killers can b week in October. This will weeds.	bl season weed control. Pre- e applied as late as the third	15 Fertilize lawns with and follow label application rates. Apply in two directions.	16 Begin to prepare house plan Repot overgrown plants and complete, liquid houseplant fo	feed established pots with a	18 Get out and evaluate your landscape for new plantings during the fall, winter, and spring.	19 Take cuttings from foliage plants which have been outdoors.
20 Prepare spring flowering bulk fall. Seed the Texas/Oklaho be purchased through Wildse	ma wildflower mix that can	22 Continue the disease spray schedule on roses as black spot and mildew can be extremely damaging in September and October. Treat with Neem Oil and Cueva.	23 Plant bluebonnet seeds in your flower beds. Purchase from Wildseed Farms.	available. Store bulbs in th	25 Id purchase spring flowering le refrigerator until the Novem as a cover crop in your garden	ber and December planting
27 Watch for army worms of webworms attacking trees, Neem Oil.	28 or the third generation of and control as needed with	29 Keep close watch for whitefly infestations on all plants and control as needed with Neem Oil.	30			

#### WOLF RANCH GARDENING CALENDAR October 2020 bv Dr. Robert E. Moon

Sun	Mon	Tue	Wed	Thu	Fri	Sat
				1	2	3
				Set irrigation controller to the off position unless a drought. Then set irrigation controller to run 1 time every 7 to 10 days.	Place potted poinsettias in darkness from 6 pm to 8 am to have red color by Christmas.	Plant garlic, parsley, radishes, spinach, and turnips.
4	5	6	7	8	9	10
Harvest pumpkins and squash and cure for several weeks. Store in a cool, dry place.	Plant transplants of pansies, violas, sedum, alyssum, kale, parsley, and collards.	Continue to divide and transplant popular perennials such as day lilies, liriope, ajuga, iris, and others.	Checkout biological predato mites will work for you.	rs for insect and mite control	. Ladybugs and predator	Plan landscaping and plant new trees and shrubs where needed. Now is a good time for planting. Trees can establish in cooler weather.
11	12	13	14	15	16	17
Seed perennial ryegrass or f areas around home. Seed 1,000 square feet. Seed can	at the rate of 1 pound per	Clean all wood from around your house to avoid termites.	Control insects and disease spraying with Neem Oil and loopers with Neem Oil.		Mulch strawberry beds and vegetable beds to protect against frost.	Make cuttings on tender plants before frost.
18	19	20	21	22	23	24
Collect dried plant material for fall flower arrangements.	Dig and store caladium bulbs in a dark, dry area in peat moss or rice hulls after they dry.	Now is an excellent time to plant trees and shrubs.	Control scale insects on ornamental plants with Neem Oil.	Container grown nursery stock can still be planted, so keep an eye out for those year end specials.	Air layer overgrown leggy houseplants. Check online for examples.	Control nematodes in fallow vegetable gardens with Neem Oil. Wait 3 weeks before planting.
25	26	27	28	29	30	31
Plant daffodils, narcissi, crocus, and Dutch iris.	Stop shearing shrubs to prevent freeze damage.	Don't forget to water plants in the winter when temperatures are above freezing.	Start to move houseplants indoors that have been outside for the summer.	Keep weeds out of fall vegetable gardens and water regularly.		

#### WOLF RANCH GARDENING CALENDAR November 2019 by Dr. Robert E. Moon

Sun	Mon	Tue	Wed	Thu	Fri	Sat
1	2	3	4	5	6	7
Set irrigation controller to the off position unless a drought. Then set irrigation controller to run 1 time every 2 weeks.	Prepare and plant pansy and viola beds for winter and early spring color.		bs such as daffodils, Dutch ill tulips and hyacinths 4-6	Plant radishes and spinach. Continue to harvest vegetables.	Go out and enjoy the brilliant fall colors in woody lanes.	Spray stone fruit trees for disease control with Neem Oil.
8	9	10	11	12	13	14
breakage. Continue to plan Establish a compost pile to	s drained so water will not nt pansies, snap dragons, pin accommodate falling leaves. ohids, they can build up rapidly	ks, and flowering cabbage. Root prune wisteria which	This is an excellent time for planting container grown ground covers, shrubs, and trees.		Store pecans at 36-40°F or place in a deep freeze. This will keep them fresh. Keep stored nuts away from onions.	Wait to cut back ornamental grasses until spring.
15	16	17	18	19	20	21
Fertilize all perennial beds l stems.	by putting fertilizer between th	e plants. Keep away from	Thin prune evergreen trees to prevent ice damage.	Continue to supply needed supplemental moisture for newly planted landscape materials.	Spade all empty beds and allow to lie fallow. This is a good time to improve edging materials.	Treat vegetable garden soil with Neem Oil for nematode control.
22	23	24	25	26	27	28
Be careful not to overwa thoroughly when needed watering. Root rot can be a months.	and let soil dry between	If you like birds in the winter landscape, provide some feeding stations to attract them.	This is an excellent time for planting container grown ground covers, shrubs, and trees.	Have a nice Thanksgiving Day!	Clean and oil garden tools; use linseed oil on the handles and clean lawn equipment.	If you need to add landscape to your home, now is an excellent time to plant trees and shrubs.
29	30					
Remove debris from flower beds and gardens to control diseases and insects. It is also a good time to spray fruit trees to prevent fungus and bacterial diseases. Treat with Neem Oil and Cueva.						

#### WOLF RANCH GARDENING CALENDAR December 2019 bv Dr. Robert E. Moon

Sun	Mon	Tue	Wed	Thu	Fri	Sat
		1	2	3	4	5
		Set irrigation controller to the off position.	Build or repair cold frames and hotbeds.	Water cut Christmas trees daily with warm water.	If you have not pruned live oaks, do so now to prevent ice damage.	Shape hollies and use the pruning for Christmas color.
6	7	8	9	10	11	12
	Select horticultural gifts for gardening friends and relatives. Gift certificates are always good.	Plan to plant a tree during the Christmas season.	Do not allow evergreen plan out. Water when the soil is o	nts in the landscape to dry dry.	Remove and destroy bagworm pouches on junipers. Eggs overwinter in these bags.	Select your cut Christmas tree early. Re-cut the end and put in water. Decorate the tree after it has soaked for a few days.
13	14	15	16	17	18	19
for your home. Afghan F	select a living Christmas tree Pine, Japanese Black Pine, ar or Deodar cedars are	Give a Christmas plant, such as poinsettias, to your best friend. By the way, they are absolutely not poisonous to most people.	gift plants away from cold drafts.		Remove grasses from trunks prevent damage from mice a AVERAGE FIRST FROST	of fruit trees and grapes to nd other rodents.
20	21	22	23	24	25	26
Avoid using high nitrogen for time. Use only high phosphore	ertilizers on plants at this	Plant tulips and hyacinths in prepared beds.	If you are an organic gardener, add composted cow manure to the garden now.	Control scale insects on plants with Neem oil.	MERRY CHRISTMAS!	Fertilize violas, pansies, and spring flowering perennials and annuals.
27	28	29	30	31		
Select adapted varieties of fruit and landscape trees which will do well in this climate as per the Approved Wolf Ranch List.	Prepare hot frames and cold frames for seeding vegetable and flowering transplants.	Have a soil sample tested to determine proper soil amendments.	If your houseplants are looking tall and spindly, they need more light.			